Central Sonoma Watershed Project _ v2.0


Watershed Plan and Environmental Assessment

Zone 1A Committee Mtg. December 3, 2020





Central Sonoma Watershed Project





SCWA Facility Guide 3-77

Matanzas Reservoir



Central Sonoma Watershed Project

Matanzas Reservoir




Sonoma Water

- 2016 Dam Assessment
- Dam does not fully meet current safety standards
- Unlined auxiliary spillway activates prior to design flood event
- Sonoma Water (Local Sponsor) requested NRCS assistance
- NRCS authorized \$1.25M to evaluate alternatives to address deficiency
- Under existing Watershed Plan
 - 30% Design
 - Geotechnical Investigations
 - Flood inundation modeling
 - Alternatives Development
 - Economic Analysis
 - Environmental Compliance (NEPA)
 - Public/Stakeholder Outreach
- Zone 1A funds will cover local sponsor staff costs
- Timeline: 2 years to complete

Central Sonoma Watershed Project

Watershed Plan and Environmental Assessment



- Comprehensive, system wide approach to upgrades and rehab
- Planning phase underway in partnership with federal sponsor
- Vulnerabilities & Conditions assessments (seismic, flood risk, erosion/sed, structural)
- Concept design to 100-yr flood protection level
- Economic Evaluation of Preferred Alternative
- Public Engagement, Stakeholder Outreach
- NEPA and CEQA compliance

Central Sonoma Watershed Project

Watershed Plan and Environmental Assessment



Funding-Planning Phase

Federal Sponsor: \$1.2M (awarded 2020)

(NRCS)

Local Sponsor: \$0.2M

(Sonoma Water Zone 1A)

Total \$1.4M (\$768,000 FY 21/22)

Timeline (18 mos- 2 yrs)

Draft Watershed Plan and EA January 2022 Final Watershed Plan and EA August 2022



Questions?









